

Heritage

Impressions



Registered Embossed Real Wood Texture

Heritage Design – Commercial Strength

◆ Dryback Luxury Vinyl Tile ◆

◆ Registered Embossed Real Wood Texture ◆

◆ Built-in Acoustic Underlay - 19dB Sound Reduction ◆



Heritage Impressions

ABOUT HERITAGE IMPRESSIONS

Heritage Impressions combines the timeless beauty of real wood with the strength of stick-down LVT. Available in nine plank and herringbone designs, each floor showcases authentic wood grain detail enhanced by a subtle matte finish. Using advanced Registered Embossing (EIR) technology, the texture aligns perfectly with the grain for a natural look and feel.

Built with a robust 0.70mm wear layer, Heritage Impressions is designed to resist scratches, scuffs, and the demands of everyday living. It's water-resistant surface makes it a practical choice for kitchens, bathrooms, and high-traffic spaces.

Adding to its performance, this product features an integrated acoustic underlay that delivers up to 19dB impact sound reduction, improving comfort underfoot and simplifying installation.



FRONT COVER
SANDRINGHAM ELM
LIBE2026



Heritage Design

Commercial Strength



Strong by design.

Heritage Impressions LVT is designed for durability and versatility. A reinforced wear layer ensures long-term performance in both residential and commercial environments, supported by comprehensive warranties. The collection delivers a versatile range of finishes, planks and herringbone designs to suit any project.

Engineered with performance.



Bevel edge



Underfloor heating
compatible 28deg



Scuff and stain resistant



Comfortable underfoot



Water resistant



19 dB quiet underfoot



Tested to achieve a +36 slip-resistance
rating at the point of manufacture *

For every home & every environment




Multi-occupancy buildings are required to meet defined standards for noise control to ensure appropriate acoustic performance.



In a family home, effective control of impact sound helps create quieter, more comfortable living spaces for everyday family life.

QUIET by DESIGN



In hotel environments, reducing impact sound between floors and rooms supports guest comfort and a better night's sleep.



In schools, reducing impact sound between floors and classrooms helps maintain calm, focused learning environments.

SOUND & ACOUSTICS



The way sound behaves within a building can greatly influence the people using it. From supporting clear communication to contributing to overall comfort, health, and productivity, acoustics play a vital role in everyday environments.

Sound moves either through the air, as with speech, or via physical contact, such as footsteps on a floor — this is known as impact sound.

Heritage Impressions has been manufactured to reduce and absorb this type of noise, creating quieter, more efficient commercial and living spaces.

Acoustics in Architecture

Impact sound insulation is one of the most important performance measures highlighted on technical specifications. Heritage Impressions has been engineered with this in mind, delivering superior acoustic performance in both residential and commercial environments.

Building Codes & Standards

Many building codes worldwide require specific levels of impact sound insulation, particularly in multi-occupancy dwellings. Heritage Impressions meets and exceeds these expectations, helping to create quieter, more comfortable spaces.

UK Requirements


In the UK, floor coverings in multi-occupancy buildings must deliver an impact sound pressure reduction of at least 17 dB, in accordance with Approved Document E of the Building Regulations. Heritage Impressions exceeds these standards, achieving an impressive 19 dB impact sound reduction, helping to create quieter, more comfortable living and working environments.

Reduces impact noise by up to 19dB

BEFORE



AFTER



WOOD COLLECTION OVERVIEW



Wood plank size
187mm x 1227mm



Herringbone size
102.25mm x 613.55mm



BALMORAL CHESTNUT LIBE2019



CHATSWORTH OAK LIBE2020



VICTORIAN OAK LIBE2021



MANOR HOUSE OAK LIBE2022



ABBEY OAK LIBE2023



COTSWOLD OAK LIBE2024



BLENHEIM OAK LIBE2025



SANDRINGHAM ELM LIBE2026



GEORGIAN ASH LIBE2027



BALMORAL CHESTNUT
LIBE2028



CHATSWORTH OAK
LIBE2029



VICTORIAN OAK
LIBE2030



MANOR HOUSE OAK
LIBE2031



ABBEY OAK
LIBE2032



COTSWOLD OAK
LIBE2033



BLENHEIM OAK
LIBE2034



SANDRINGHAM ELM
LIBE2035



GEORGIAN ASH
LIBE2036

WOOD GRAIN FOCUS



BALMORAL CHESTNUT



CHATSWORTH OAK



VICTORIAN OAK



MANOR HOUSE OAK



ABBEY OAK



COTSWOLD OAK



BLENHEIM OAK



SANDRINGHAM ELM



GEORGIAN ASH





GEORGIAN ASH



ORDER-
LIBE2036



ORDER-
LIBE2027



187mm x 1227mm

102.25mm x 613.55mm



ABBEY OAK



ORDER-
LIBE2032



ORDER-
LIBE2023



187mm x 1227mm

102.25mm x 613.55mm





SANDRINGHAM ELM



ORDER-
LIBE2035



ORDER-
LIBE2026



187mm x 1227mm

102.25mm x 613.55mm





BLENHEIM OAK



ORDER-
LIBE2034



ORDER-
LIBE2025



187mm x 1227mm

102.25mm x 613.55mm



COTSWOLD OAK



ORDER-
LIBE2033



ORDER-
LIBE2024



187mm x 1227mm

102.25mm x 613.55mm



MANOR HOUSE OAK



ORDER-
LIBE2031



ORDER-
LIBE2022



187mm x 1227mm

102.25mm x 613.55mm



VICTORIAN OAK



ORDER-
LIBE2030



ORDER-
LIBE2021



187mm x 1227mm

102.25mm x 613.55mm





CHATSWORTH OAK



ORDER-
LIBE2029



ORDER-
LIBE2020



187mm x 1227mm

102.25mm x 613.55mm



BALMORAL CHESTNUT



ORDER-
LIBE2028



ORDER-
LIBE2019



187mm x 1227mm

102.25mm x 613.55mm





BALMORAL CHESTNUT LIBE2019



CHATSWORTH OAK LIBE2020



VICTORIAN OAK LIBE2021



BALMORAL CHESTNUT LIBE2028



CHATSWORTH OAK LIBE2029



VICTORIAN OAK LIBE2030



MANOR HOUSE OAK LIBE2022



ABBEY OAK LIBE2023



COTSWOLD OAK LIBE2024



MANOR HOUSE OAK LIBE2031



ABBEY OAK LIBE2032



COTSWOLD OAK LIBE2033



BLENHEIM OAK LIBE2025



SANDRINGHAM ELM LIBE2026



GEORGIAN ASH LIBE2027



BLENHEIM OAK LIBE2034



SANDRINGHAM ELM LIBE2035



GEORGIAN ASH LIBE2036

Technical

Name	Standard	Symbol	Result
CE / DOP	EN 14041		CPR/AI/013
Usage Classification	EN ISO 10874		23, 34, 42
Manufacturing Standard	EN ISO 10582		
Size Dimensions - Planks	EN ISO 24342	Pcs / m2	Box / Pallet
		12 / 2.75	60 / 165.20
Size Dimensions - Herringbone	EN ISO 24342	Pcs / m2	Box / Pallet
		40 / 2.509	64 /160.64
Total Thickness	EN ISO 24346		3.5 mm
Wear Layer Thickness	EN ISO 24340		0.7 mm
Weight	EN ISO 23997		4.5 kg/m²
Abrasion Resistance	EN ISO 10582		Type 1
Wear resistance	EN 660-2		T
Residual Indentation	EN ISO 24343-1		≤ 0.1 mm (ave 0.05)
Dimensional Stability	EN ISO 23999		≤ 0.25% (avg 0.1)
Dimensional Stability / Curling	EN ISO 23999		≤ 2 mm
Slip Resistance	EN 13893		Class R10 (DS)
Slip Resistance	EN 16165 Annex B		PTV "Dry" 52. PTV "Wet" 44
Chemical Resistance	EN ISO 26987		Excellent
Colour Fastness to Light	EN ISO 105-B02		≥ 6
Flammability / Smoke Emissions	EN 13501-1		
Castor Chair Resistance (Type W)	EN ISO 4918		Pass
Furniture Leg Resistance	EN ISO 16581		No Crack, No Damage
Impact Sound Insulation	EN ISO 717-2		19 dB
Thermal Resistance	EN 12667		0.019(m2K)/W
Emissions	IAC Gold		Cert No. IACG-352-01-12-2024
Emissions	VOC Regulation		Very low emissions
Emissions	M1		Certified
Ortho-Phthalate Free			Yes – bio-based plasticisers
Surface Treatment			Heritage UV Coating
TVOC	EN 16000		A+
Formaldehyde Group	EN 14041:2004/ AC:2006		E1
Environmental product declaration	EN 15804:2012+ A2:2019		Certified report that transparently shows a product's full environmental impact from manufacture to disposal.
IAQ Certification			FloorScore®: Pass — certified as low-emitting flooring meeting all CA 01350 VOC emission requirements.

TAKE A CLOSER LOOK

Heritage Impressions

Construction 3.5mm


Polyurethane treatment PUR | Easy maintenance

Wear layer 0.70 mm - Class 33/42 | Heavy commercial

Hi Definition layer | Registered embossed wood texture

Calendered PVC | Resistant to indentation

Built-in underlay | provides up to 19dB sound reduction



Slip resistance for Heritage Impressions is verified at 36+ (wet and dry) at the point of manufacture. In-service values may differ over time according to usage patterns and maintenance procedures. *



Heritage

Impressions

Heritage Design - Commercial Strength

- ◆ Dryback Luxury Vinyl Tile ◆
- ◆ Registered Embossed Real Wood Texture ◆
- ◆ Built-in Acoustic Underlay - 19dB Sound Reduction ◆



Homedecor International Group
International Floorcovering Distributors Association

